

U. S. Department of Agriculture.

Forest Service

APPALACHIAN FOREST EXPERIMENT STATION

Technical Note No. 24.

January 5, 1937.

PUBLICATIONS

BY

MEMBERS OF THE STAFF (INCLUDING COOPERATORS)

0.1

July 1, 1921 - December 31, 1936.

Compiled by

Josephine Laxton, Acting Librarian.

	<u>Page</u>
1. General Forestry - - - - -	1
2. Forest Biology - - - - -	3
3. Forest Botany - - - - -	6
4. Forest Management (Silviculture) - - - - -	7
5. Forest Protection - - - - -	12
6. Soil and Water Conservation - - - - -	16
7. Reforestation - - - - -	17
8. Forest Economics and Utilization - - - - -	18
9. Miscellaneous - - - - -	19
10. Technical Notes (Numerical List) - - - - -	21

Only those publications prepared by the authors during their official connection with the Station have been included.

Publications marked with an asterisk (*) are available for distribution.

This bibliography has been compiled and mimeographed to facilitate the handling of numerous requests for lists of publications by the Appalachian Forest Experiment Station.

INDEXED

1. General Forestry

ABELL, M. S.

1933. A glimpse of the Appalachian Forest Experiment Station.
Ames Forester.

BARRETT, LEONARD I.

1931. Summary of forest research activities in North Georgia by the A.F.E.S.
Field season of 1931. In 44th ann. rept. of the Ga. Ex. Sta.

and HURSH, C. R.

1931. Forests of Georgia highlands. Ga. Forest Service Bull. No. 15, July.

BUELL, J. H.

1931. Unemployed cut fuelwood on Pisgah National Forest. Forest Worker,
March.

1931. Pisgah forest aids the unemployed. American Forests, v. 37, No. 12,
December.

FORSLING, C. L.

1936. The western range. Senate Document No. 199. Senior author,
Chapter on "Range conservation the exception," and Chapter on
"The administration of public range lands."*

FROTHINGHAM, E. H.

1921. The Appalachian hardwood region - our future hardwood supply.
Southern Lumberman, December.

1921. The southern Appalachian hardwood forest. Southern Lumberman,
December.

1922. Forest problems of Georgia's hardwood region. Amer. Forestry,
November.

1922. Forest research in the southern Appalachians. Southern Lumberman,
December.

1923. Research program of the Appalachian Forest Experiment Station.
Jour. Elisha Mitchell Scientific Soc.

1923. Scientific research and southern Appalachian forests. Lumber
World Review, November.

1. General Forestry

ABELL, M. S.

1933. A glimpse of the Appalachian Forest Experiment Station.
Ames Forester.

BARRETT, LEONARD I.

1931. Summary of forest research activities in North Georgia by the A.F.E.S.
Field season of 1931. In 44th ann. rept. of the Ga. Ex. Sta.

and HURSH, C. R.

1931. Forests of Georgia highlands. Ga. Forest Service Bull. No. 15, July.

BUELL, J. H.

1931. Unemployed cut fuelwood on Pisgah National Forest. Forest Worker,
March.

1931. Pisgah forest aids the unemployed. American Forests, v. 37, No. 12,
December.

FORSLING, C. L.

1936. The western range. Senate Document No. 199. Senior author,
Chapter on "Range conservation the exception," and Chapter on
"The administration of public range lands."*

FROTHINGHAM, E. H.

1921. The Appalachian hardwood region - our future hardwood supply.
Southern Lumberman, December.

1921. The southern Appalachian hardwood forest. Southern Lumberman,
December.

1922. Forest problems of Georgia's hardwood region. Amer. Forestry,
November.

1922. Forest research in the southern Appalachians. Southern Lumberman,
December.

1923. Research program of the Appalachian Forest Experiment Station.
Jour. Elisha Mitchell Scientific Soc.

1923. Scientific research and southern Appalachian forests. Lumber
World Review, November.

1. General Forestry

FROTHINGHAM, E. H.

1924. Forest research. Jour. Forestry 22: 343-352.

1924. Research to aid timber growing in the southern Appalachians.
Southern Agriculturist.

1925. Forest research; the basis for sound development of North Carolina's
forest industries. Circular N. C. Forestry Assn., March 1.

1933. (1) Privately supported and quasi-public forest research.
(2) Forest Service research. (3) A program for forest research.
In A National Plan for American Forestry. Senate Document No. 12,
73rd Congress.

MCCARTHY, E. F.

1923. A new source of forest information. Empire Forester.

1924. The forests of North Georgia. The Cypress Knee.

MACKINNEY, A. L.

1936. Dividends from Eighteenth Century conservation. Service Bull.
v. 20, No. 21, October 12.

KORSTIAN, C. F.

1926. The preservation of natural conditions in the National Forests.
In The Naturalist's Guide to the Americas.

2. Forest Biology

BEAL, J. A.

1927. The development of the proventriculus of Pityogenes Hopkinis Swaine. *Annals of the Ent. Soc. of America*, December.

BURLEIGH, T. D.

1931. Notes on the breeding birds of State College, Center County, Pennsylvania. *The Wilson Bull.*, March.

1932. Occurrence of the eastern Savannah sparrow in West Virginia and Maryland in summer. *The Auk*, January.

1932. Notes on the breeding birds of Fayette County, Pennsylvania. *The Cardinal*, July.

1933. The golden-crowned kinglet a summer visitor in the District of Columbia. *The Auk*, April.

1933. The song sparrow now a breeding bird in South Carolina. *The Auk*, April.

1933. The present status of Brewer's blackbird in the southeast. *The Wilson Bull.*, September.

1934. A breeding record for the Florida grackle in the Piedmont region of South Carolina. *The Auk*, January.

1934. Description of a new subspecies of Yellowthroat, Geothlypis trichas, from Georgia. *Proc. of the Biological Society of Washington* 47: 21-22.

1934. Early fall migration notes from Virginia. *The Wilson Bull.*, March.

and HOWELL, A. H.

1934. Notes on the occurrence of certain birds in Princess Anne County, Virginia. *The Auk*, April.

HAASIS, F. W.

1923. Engraver beetles. *Service Bulletin*, October 29.

HOLST, EUGENE C.

1936. Zygosaccharomycetes pini, a new species of yeast associated with bark beetles in pines. *Jour. Agr. Research* 53: 512-518.

2. Forest Biology

JACOT, ARTHUR PAUL

1934. An intertidal mossmite in America. Jour. N. Y. Ent. Soc. 42: 329-336.

1934. The mite Oribata lamellata and related species. Records of the Australian Mus. 19: 181-183, figs. 1-6.

1934. Two species of lichen-mining mossmites. Annals Ent. Soc. Am. 27: 462-467, figs. 1-8.

1934. A new four-horned mossmite (Oribatoidea-acarina). The Am. Midland Naturalist 15: 706-712, figs. 1-13.

1934. Two Tyroglyphina (Sarcoptiformes) of Tahiti. Bernice P. Bishop Mus., Bull. 113, pp. 111-114, 1 pl.

1934. Acarina as possible vectors of the Dutch elm disease. Jour. Ec. Ent. 27: 858-859.

1935. The species of Zetes (Oribatoidea-acarina) of the northeastern United States. Jour. N. Y. Ent. Soc. 43: 51-95.

1935. Galumna alatus Willmann (Acari, Oribatoidea). Ann. Mag. Nat. Hist. Ser. 10, 15: 489-492.

1935. Nothrus kornhuberi (Oribatoidea-acarina). Rediscovered through a grant of the Elizabeth Thomson Science Fund. Scientific reports of Tohoku Imperial University, Sendai, Japan, 4th ser. Biology 10: 1-3.

1935. Wild life of the forest carpet. Scientific Monthly 40: 425-430.

1935. Fuscozetes (Oribatoidea-acarina) in the northeastern United States. Jour. N. Y. Ent. Soc. 43: 311-319.

1935. Molluscan populations of old-growth forests and rewooded fields in the Asheville basin of N. C. Ecology 16: 603-605.

1935. The large-winged mites of Florida. Florida Ent. 19: 1-31.

2. Forest Biology

JACOT, ARTHUR PAUL

1934. An intertidal mossmite in America. Jour. N. Y. Ent. Soc. 42: 329-336.

1934. The mite Oribata lamellata and related species. Records of the Australian Mus. 19: 181-183, figs. 1-6.

1934. Two species of lichen-mining mossmites. Annals Ent. Soc. Am. 27: 462-467, figs. 1-8.

1934. A new four-horned mossmite (Oribatoidea-acarina). The Am. Midland Naturalist 15: 706-712, figs. 1-13.

1934. Two Tyroglyphina (Sarcoptiformes) of Tahiti. Bernice P. Bishop Mus., Bull. 113, pp. 111-114, 1 pl.

1934. Acarina as possible vectors of the Dutch elm disease. Jour. Ec. Ent. 27: 858-859.

1935. The species of Zetes (Oribatoidea-acarina) of the northeastern United States. Jour. N. Y. Ent. Soc. 43: 51-95.

1935. Galumna alatus Willmann (Acari, Oribatoidea). Ann. Mag. Nat. Hist. Ser. 10, 15: 489-492.

1935. Nothrus kornhuberi (Oribatoidea-acarina). Rediscovered through a grant of the Elizabeth Thomson Science Fund. Scientific reports of Tohoku Imperial University, Sendai, Japan, 4th ser. Biology 10: 1-3.

1935. Wild life of the forest carpet. Scientific Monthly 40: 425-430.

1935. Fuscozetes (Oribatoidea-acarina) in the northeastern United States. Jour. N. Y. Ent. Soc. 43: 311-319.

1935. Molluscan populations of old-growth forests and rewooded fields in the Asheville basin of N. C. Ecology 16: 603-605.

1935. The large-winged mites of Florida. Florida Ent. 19: 1-31.

2. Forest Biology

JACOT, ARTHUR PAUL

1935. Some large-winged mites of the southwestern States. Pomona College Jour. Ent. and Zool., December.
-
1936. Les Phthiracaridae de Carl Ludwig Koch. Revue Suisse de Zoologie 43: 161-187.
-
1936. Some rake-legged mites of the family Cheyletidal. N. Y. Ent. Jour. 44: 17-30.
-
1936. Undescribed mossmites from Mauritius. Ann. Mag. Nat. Hist. Ser. 10. 17: 393-402.
-
1936. New mossmites, chiefly midwestern. Am. Midland Nat. 17: 546-553.
-
1936. Soil populations. Sci. Mo. 17: 247-251, 7 figs.
-
1936. Quantitative litter sampling. Ecology 17: 327-328.
-
1936. An undescribed pediculoidid mite from the southern Appalachians. Canadian Ent. 68: 82-85.
-
1936. Three undescribed pediculoidid mites from the southern Appalachians. Can. Ent. 68: 129-133.
-
1936. Some primitive mossmites of North Carolina. Jour. Elisha Mitchell Sci. Soc. 52: 20-26.

3. Forest Botany

ABELL, C. A. and HURSH, C. R.

1931. Positive gas and water pressure in oaks. Science, April 24.
Reprinted in Forest Worker, July.

BEAL, J. A.

1926. Frost-killed oak. Jour. Forestry 24: 949-950.

FROTHINGHAM, E. H.

1931. Drought may result in lasting damage to stricken forest trees.
Department of Agriculture Yearbook.

HAASIS, F. W.

1921. Relations between soil type and root form of western yellow
pine seedlings. Ecology 2: 292-303.

and HURSH, C. R.

1931. Effects of 1925 summer drought on southern Appalachian hardwoods.
Ecology 12: 380-386.

HURSH, C. R.

1928. The reaction of plant stems to fungous products.
Phytopathology 18: 603-610.

and ABELL, C. A.

1931. Positive gas and water pressure in oaks. Science, April 24.

and HAASIS, F. W.

1931. Effects of 1925 drought on southern Appalachian hardwoods.
Ecology 12: 380-386.

KORSTIAN, C. F.

1921. Relation of precipitation to height growth of forest tree
saplings. Transactions of the Utah Academy of Sciences, v. 2.

1923. Density of cell sap of plants in relation to environmental
conditions. Jour. Elisha Mitchell Scientific Soc. 39: 63.

1924. Density of cell sap in relation to environmental conditions in
the Wasatch mountains of Utah. Jour. Agr. Research 28: 845-907.

1929. Review: "Plant autographs and their revelations", by J. C. Bose.
Jour. Forestry 27: 290-291.

3. Forest Botany

LOHMAN, M. L.

1934. A cultural and taxonomic study of Hysterium hyalinum,
Papers of the Michigan Academy of Science, Arts and
Letters, 19: 133-140.

1934. Lophiosphaera (Glomium) velata, with a critical study of its
Septonema multiplex stage. Am. Jour. Bot. 21: 314-327.

McCARTHY, E. F.

1924. The record the tree keeps. Woodturning, August.

NELSON, RALPH M.

1932. Growth and mortality of chestnut sprouts. Jour. Forestry 30:
872-873.

4. Forest Management (Silviculture)

ABELL, C. A.

1932. Improve your woodland. Farmers' Federation News, August.

1935. Results of 1924 cleanings of cove hardwoods, Pisgah National
Forest. Jour. Forestry 33 (6): 626-627.

ABELL, M. S.

1935. Use of the Craighead diameter tape for trees under 1.6 inches
in diameter. Jour. Forestry 33 (1): 83.

and BUELL, J. H.

1935. A method for estimating future volumes of partially cut stands
in the southern Appalachians. Technical Note No. 11, July 18.*

BARRETT, LEONARD I.

1933. Growth rate of northern white pines in the southern Appalachians.
Jour. Forestry 31: 570-572.

4. Forest Management (Silviculture)

PRETT, LEONARD I.

1934. Growth of Appalachian hardwood forests. Tech. Note No. 2, July 20*.

1934. Growth of Appalachian hardwood forests. Tech. Note No. 4, September*.

1934. Site index curves for yellow poplar and white pine. Tech. Note No. 5, September 12*.

1935. Computations of national forest timber survey data. Curve fitting and volume table checks and revisions. Technical Note No. 10, February*.

1936. Recent volume tables for some southern Appalachian species. Technical Note No. 19, February 10*.

ELL, J. H.

1928. Preliminary results from the study of cut-over areas in the southern Appalachian hardwoods. Southern Lumberman, December 25.

1934. Ten years growth after a partial cutting in a mixed hardwood stand. Technical Note No. 1, July 7*.

1936. Crown mapping simplified by the use of an Abney level and mirror. Jour. Forestry 34: 77-78.

ORSLING, C. L.

1936. Farm forestry in Europe. Farmers' Federation News, July.

ROTHINGHAM, E. H.

1922. Minimum requirements for continuous forest production in the southern Appalachian region. Lumber World Review, February 25.

1923. Minimum requirements to keep cut-over lands productive. Lumber World Review 42: No. 2.

1923. Paving the way for silviculture in the southern Appalachians. Michigan Forester.

4. Forest Management (Silviculture)

BARRETT, LEONARD I.

1934. Growth of Appalachian hardwood forests. Tech. Note No. 2, July 20*.

1934. Growth of Appalachian hardwood forests. Tech. Note No. 4, September*.

1934. Site index curves for yellow poplar and white pine. Tech. Note No. 5, September 12*.

1935. Computations of national forest timber survey data. Curve fitting and volume table checks and revisions. Technical Note No. 10, February*.

1936. Recent volume tables for some southern Appalachian species. Technical Note No. 19, February 10*.

BUELL, J. H.

1928. Preliminary results from the study of cut-over areas in the southern Appalachian hardwoods. Southern Lumberman, December 25.

1934. Ten years growth after a partial cutting in a mixed hardwood stand. Technical Note No. 1, July 7*.

1936. Crown mapping simplified by the use of an Abney level and mirror. Jour. Forestry 34: 77-78.

FORSLING, C. L.

1936. Farm forestry in Europe. Farmers' Federation News, July.

FROTHINGHAM, E. H.

1922. Minimum requirements for continuous forest production in the southern Appalachian region. Lumber World Review, February 25.

1923. Minimum requirements to keep cut-over lands productive. Lumber World Review 42: No. 2.

1923. Paving the way for silviculture in the southern Appalachians. Michigan Forester.

4. Forest Management (Silviculture)

FROTHINGHAM, E. H.

1924. New forests for cut-over and burned spruce lands in the southern Appalachians. Official Record, December 10.

1924. Some silvicultural aspects of the chestnut blight situation, Jour. Forestry 22: 861-872.

1925. Chestnut appears doomed. Southern Lumberman, January 17.

1925. The present stand of chestnut in North Carolina and the southern Appalachians. N. C. Geological and Economic Survey, Paper No. 56.

1926. The regeneration of southern Appalachian hardwoods. Proc. 8th So. Forestry Congress, Richmond, Va. and Pulp and Paper Magazine of Canada, November 18.

1929. Cut-over lands and forestry in the southern Appalachians. Gopher Peavy (For. Club Ann. University of Minn.), pp. 61-66.

1931. Growing cross-ties in the southern Appalachians. Cross Tie Bull., October.

1931. Timber growing and logging practice in the southern Appalachians. U. S. Dept. Agr. Tech. Bull. 250*.

1935. Review of "The Practice of Silviculture" 3rd ed., by R. C. Hawley. Jour. Forestry 33: 442-443.

1936. Winter work in the farm woods. Farmers' Federation News, November.

1936. Timber growth capacity of the southern Appalachian region. Southern Lumberman 153: 98M-98P.

HAASIS, F. W.

1923. Significance of a 255-year age class in an eastern Kentucky forest. Jour. Forestry 21: 700-704.

1924. Consistent accuracy in sample plot computations, Jour. Forestry 22: 529-531.

4. Forest Management (Silviculture)

HAASIS, F. W.

1930. Forest plantations at Biltmore, N. C. U.S.D.A. Misc. Pub. No. 61*.

KORSTIAN, C. F. and BAKER, F. S.

1922. Is Douglas fir replacing western yellow pine in Central Idaho?
Jour. Forestry 22: 755-764.

1924. The tragedy of chestnut. Southern Lumberman, December.

1924. A silvical comparison of the Pacific Coast and Rocky Mountain forms of western yellow pine. Am. Jour. of Botany, v. 9, May.

1924. Growth of cut-over and virgin western yellow pine lands in Central Idaho. Jour. Agr. Research 28: 1139-1148.

1924. Natural regeneration of southern white cedar. Ecology 5: 188-191.

1925. On the trail of the vanishing spruce. Scientific Monthly, April.

1925. Insolation and natural regeneration of conifers in New England.
(A review of Yale School of Forestry Bull. No. 11.) Ecology
6: 315-316.

1926. Permanent sample plots in the National Forests. In The Naturalist's Guide to the Americas.

1926. Natural replacement of blight-killed chestnut. U.S.D.A. Misc.
Cir. No. 100*.

and STICKEL, P. W.

1927. The natural replacement of blight-killed chestnut in the hardwood forests of the northeast. Jour. Agr. Res. 34: 631-648.

1927. Chestnut killed by blight replaced by other valuable trees.
U.S.D.A. Yearbook.

1927. Timber from southern white cedar pays on coastal swamp land.
U.S.D.A. Yearbook.

4. Forest Management (Silviculture)

KORSTIAN, C. F.

1928. Intermountain brush lands not potential western yellow pine stands.
Forest Worker, May.

1929. The ecological basis of silviculture. (Review of "Foundation of Silviculture upon an Ecological Basis" by J. W. Toumey.)
Ecology 10: 347-350.

and BAKER, F. S.

1931. Suitability of brush lands in the intermountain region for the growth of natural or planted western yellow pine forests.
Dept. of Agr. Tech. Bull. 256.

and BRUSH, W. D.

1931. Southern white cedar. Dept. of Agr. Tech. Bull. 251.

and MACKINNEY, A. L.

1932. Felling, girdling and poisoning undesirable trees in forest stands.
Jour. Forestry 30: 169-177.

MCCARTHY, E. F.

1921. Variations in northern forests and their influence on management.
Jour. Forestry 19: 867-871.

1925. Problems of hardwood timber production. Lumber World Review,
January 25.

1933. Yellow Poplar (Liriodendron tulipifera L.) characteristics, growth, and management. U.S.D.A. Tech. Bull. No. 356.

MACKINNEY, A. L., GARVER, R. D., CUNO, J. B., and KORSTIAN, C. F.

1931. Selective logging in the loblolly pine-hardwood forests of the Middle Atlantic Coastal Plain, with special reference to Virginia. Va. Forest Service Pub. No. 43, October.

1933. Increase in growth of loblolly pine left after partial cutting.
Jour. Agr. Research 47: 807-821*.

1934. Logging damage in selectively logged loblolly pine stands.
Jour. Forestry 32: 94-95.

1934. Some factors affecting the bark thickness of second-growth longleaf pine. Jour. Forestry 32: 470-474*.

1932. A tool for poisoning trees. Forest Worker, January.

4. Forest Management (Silviculture)

KORSTIAN, C. F.

1928. Intermountain brush lands not potential western yellow pine stands.
Forest Worker, May.

1929. The ecological basis of silviculture. (Review of "Foundation of Silviculture upon an Ecological Basis" by J. W. Toumey.)
Ecology 10: 347-350.

and BAKER, F. S.

1931. Suitability of brush lands in the intermountain region for the growth of natural or planted western yellow pine forests.
Dept. of Agr. Tech. Bull. 256.

and BRUSH, W. D.

1931. Southern white cedar. Dept. of Agr. Tech. Bull. 251.

and MACKINNEY, A. L.

1932. Felling, girdling and poisoning undesirable trees in forest stands.
Jour. Forestry 30: 169-177.

MCCARTHY, E. F.

1921. Variations in northern forests and their influence on management.
Jour. Forestry 19: 867-871.

1925. Problems of hardwood timber production. Lumber World Review,
January 25.

1933. Yellow Poplar (Liriodendron tulipifera L.) characteristics, growth, and management. U.S.D.A. Tech. Bull. No. 356.

MACKINNEY, A. L., GARVER, R. D., CUNO, J. B., and KORSTIAN, C. F.

1931. Selective logging in the loblolly pine-hardwood forests of the Middle Atlantic Coastal Plain, with special reference to Virginia. Va. Forest Service Pub. No. 43, October.

1933. Increase in growth of loblolly pine left after partial cutting.
Jour. Agr. Research 47: 807-821*.

1934. Logging damage in selectively logged loblolly pine stands.
Jour. Forestry 32: 94-95.

1934. Some factors affecting the bark thickness of second-growth longleaf pine. Jour. Forestry 32: 470-474*.

1932. A tool for poisoning trees. Forest Worker, January.

4. Forest Management (Silviculture)

CKINNEY, A. L. and KORSTIAN, C. F.

1932. Felling, girdling and poisoning undesirable trees in forest stands. Jour. Forestry 30: 169-177.

and CHAIKEN, L. E.

1935. A method of determining density of loblolly pine stands. Technical Note No. 15, October 28*.

and CHAIKEN, L. E.

1936. Converting factors for loblolly pine pulpwood. Technical Note No. 20, February 25*.

and CHAIKEN, L. E.

1936. Recent volume tables for second-growth loblolly pine in the Middle Atlantic Coastal Region. Technical Note No. 21, May 19*.

1936. Recent site index curves for second-growth loblolly pines. Technical Note No. 22, October 29*.

SIMS, I. H.

1932. Establishment and survival of yellow poplar following a clear cutting in the southern Appalachians. Jour. Forestry 30: 409-414.

STAFF, APPALACHIAN FOREST EXPERIMENT STATION

1933. Measures for stand improvement in southern Appalachian forests. E. C. W. Forestry Publication No. 1.

1935. Forest improvement measures for the southern Appalachians. Tech. Bull. No. 476*.

5. Forest Protection

FORSLING, C. L.

1936. Forest fires in Central Europe. Farmers' Federation News, March.

HAMIS, F. W.

1923. Root rot as a factor in survival. Jour. Forestry 21: 506.

HEPTING, G. H.

1933. Eastern forest tree diseases in relation to stand improvement. E.C.W. Publication No. 2. Reprinted. 1934*.

4. Forest Management (Silviculture)

ACKINNEY, A. L. and KORSTIAN, C. F.

1932. Felling, girdling and poisoning undesirable trees in forest stands. Jour. Forestry 30: 169-177.

and CHAIKEN, L. E.

1935. A method of determining density of loblolly pine stands. Technical Note No. 15, October 28*.

and CHAIKEN, L. E.

1936. Converting factors for loblolly pine pulpwood. Technical Note No. 20, February 25*.

and CHAIKEN, L. E.

1936. Recent volume tables for second-growth loblolly pine in the Middle Atlantic Coastal Region. Technical Note No. 21, May 19*.

1936. Recent site index curves for second-growth loblolly pines. Technical Note No. 22, October 29*.

SIMS, I. H.

1932. Establishment and survival of yellow poplar following a clear cutting in the southern Appalachians. Jour. Forestry 30: 409-414.

STAFF, APPALACHIAN FOREST EXPERIMENT STATION

1933. Measures for stand improvement in southern Appalachian forests. E. C. W. Forestry Publication No. 1.

1935. Forest improvement measures for the southern Appalachians. Tech. Bull. No. 476*.

5. Forest Protection

FORSLING, C. L.

1936. Forest fires in Central Europe. Farmers' Federation News, March.

HALLSIS, F. W.

1923. Root rot as a factor in survival. Jour. Forestry 21: 506.

HEPTING, G. H.

1933. Eastern forest tree diseases in relation to stand improvement. E.C.W. Publication No. 2. Reprinted. 1934*.

5. Forest Protection

HEPTING, G. H. and HEDGCOCK, GEO. G.

1934. Relation between height of decay and tree age in certain eastern oaks. Technical Note No. 3, August 1*.

and HEDGCOCK, GEO. G.

1935. Relation between tree diameter and percentage of cull in some eastern hardwoods. Technical Note No. 13, June 3*.

and HEDGCOCK, GEO. G.

1935. Relation between butt rot and fire in some eastern hardwoods. Technical Note No. 14, June 3*.

and HEDGCOCK, GEO. G.

1935. Relation of cull percent to tree diameter and to percentage of trees with basal wounds in some eastern hardwoods. Technical Note No. 16, Nov. 4*.

1935. Decay following fire in young Mississippi delta hardwoods. U.S.D.A. Tech. Bull. 494. December*.

1935. Blue-stain development in peeled shortleaf and loblolly pine pulpwood. The Paper Industry 17: 402-404.

and DAVIDSON, R. W.

1935. Some leaf and twig diseases of hemlock in North Carolina. Plant Disease Reporter, U.S.D.A. v. 19, No. 20.

and BLAISDELL, D.

1936. A protective zone in red gum fire scars. Phytopathology 26: 62-67.

KORSTIAN, C. F.

1925. Coincidence between the ranges of forms of western yellow pine, bark beetles and mistletoe. Science 61: 448, 1582.

McCARTHY, E. F.

1922. The causes of forest devastation and their elimination. Lumber Word Review, February 25.

1922. Fire increases dry site type. Service Bulletin, June 19.

1923. Forest fire weather in the southern Appalachians. Mo. Wea. Rev. 51: 182-185.

5. Forest Protection

LEPTING, G. H. and HEDGCOCK, GEO. G.

1934. Relation between height of decay and tree age in certain eastern oaks. Technical Note No. 3, August 1*.

and HEDGCOCK, GEO. G.

1935. Relation between tree diameter and percentage of cull in some eastern hardwoods. Technical Note No. 13, June 3*.

and HEDGCOCK, GEO. G.

1935. Relation between butt rot and fire in some eastern hardwoods. Technical Note No. 14, June 3*.

and HEDGCOCK, GEO. G.

1935. Relation of cull percent to tree diameter and to percentage of trees with basal wounds in some eastern hardwoods. Technical Note No. 16, Nov. 4*.

1935. Decay following fire in young Mississippi delta hardwoods. U.S.D.A. Tech. Bull. 494. December*.

1935. Blue-stain development in peeled shortleaf and loblolly pine pulpwood. The Paper Industry 17: 402-404.

and DAVIDSON, R. W.

1935. Some leaf and twig diseases of hemlock in North Carolina. Plant Disease Reporter, U.S.D.A. v. 19, No. 20.

and BLAISDELL, D.

1936. A protective zone in red gum fire scars. Phytopathology 26: 62-67.

KORSTIAN, C. F.

1925. Coincidence between the ranges of forms of western yellow pine, bark beetles and mistletoe. Science 61: 448, 1582.

MCCARTHY, E. F.

1922. The causes of forest devastation and their elimination. Lumber Word Review, February 25.

1922. Fire increases dry site type. Service Bulletin, June 19.

1923. Forest fire weather in the southern Appalachians. Mo. Wea. Rev. 51: 182-185.

5. Forest Protection

McCARTHY, E. F.

1924. Forest fires and storm movement. Mo. Wea. Rev. 52: 257-259.

1927. Weather and forest inflammability in the southern Appalachians. Mo. Wea. Rev. 55: 119-129*.

1928. Analysis of fire damage in southern Appalachian forests. Jour. Forestry 26: 57-68.

and SIMS, I. H.

1935. The relation between tree size and mortality caused by fire in southern Appalachian hardwoods. Jour. Forestry 33: 155-157.

MACKINNEY, A. L.

1931. Thirteen annual fires in the longleaf pine type. Service Bulletin, September 14.

1931. Longleaf pine subjected to thirteen years light burning shows retarded growth. Forest Worker, September.

1933. Mortality in longleaf pine pole stand after a hard fire. Service Bulletin, October 23.

1934. Some effects of three annual fires on growth of longleaf pine. Jour. Forestry 32: 879-881, November.

1935. Effects of a light fire on loblolly pine reproduction. Technical Note No. 9, January 29*.

NELSON, RALPH M.

1928. Protection of our forests against disease. Southern Lumberman, August 11.

1931. Decay in loblolly pine on the Atlantic Coastal Plain. In Va. Forest Service Pub. No. 43, pp. 58-59, October.

1932. Bluestain fungi as a factor in the death of southern pines attacked by bark-beetles. Jour. Elisha Mitchell Scientific Society 48: 16.

6. Soil and Water Conservation

FORSLING, C. L.

1936. Soil conservation in parts of Europe. Farmers' Federation News, August.

HURSH, C. R.

1928. Litter keeps forest soil productive. Southern Lumberman, December 22.

1930. Forest averts erosion on abandoned mountain farm land. U.S.D.A. Yearbook.

1931. Eroded fields as forest sites. Forest Worker, September.

1931. Abandoned mountain farms an erosion menace but a forestry opportunity. Farmers' Federation News, August.

1932. The forest legion carries on! American Forests, January.

1935. (Abstract) - Oldfield primary vegetation in the southern Appalachians and Piedmont. Bull. Ecol. Soc. of Amer. 16: 33.

1935. Control of exposed soil on road banks. Technical Note No. 12, March 7*.

and CRAFTON, W. M.

1935. Plant indicators of soil conditions on recently abandoned fields. Technical Note No. 17, November 6*.

JACOT, ARTHUR PAUL

1936. Soil structure and soil Biology. Ecology 17: 356-379.

1936. Spruce litter reduction. Canadian Ent. 68: 31.

KORSTIAN, C. F.

1929. Influence of forest cover upon load of suspended matter carried by streams in flood stage. U. S. House Document 573, Appendix IV (70th Congress).

McCARTHY, E. F.

1927. Forest cover as a factor in flood control. In Papers and Discussions Am. Soc. Civil Eng. Tech. Meeting, October 1. Waterways Division.

6. Soil and Water Conservation

MACKINNEY, A. L.

1929. Effects of forest litter on soil temperature and soil freezing in autumn and winter. Ecology 10: 312-321, July.

SIMS, I. H.

1932. Litter deposition and accumulation in the pine-oak type of the southern Appalachians. Jour. Forestry 30: 90-91.

7. Reforestation

HAASIS, F. W.

1922. The Biltmore Plantations, a forest treasure house in the southern Appalachians - a tribute to Dr. C. A. Schenck. Timberman 23: 44-45.

1923. Frost heaving of western yellow pine seedlings. Ecol. 4: 378-390.

1924. A chance for reforestation. American Forests and Forest Life, May.

1928. Germinative energy of lots of coniferous tree seed as related to incubation temperature and to duration of incubation. Plant Physiology 4: 365-412.

KORSTIAN, C. F. and FETHEROLF, N. J.

1921. Control of stem girdle of spruce transplants caused by excessive heat. Phytopathology, v. 11, No. 12, December.

1923. Control of snow molding in coniferous nursery stock. Jour. Agr. Research 24: 741-747.

1925. Some ecological effects of shading coniferous nursery stock. Ecology 6: 48-51.

and BAKER, F. S.

1925. Forest planting in the intermountain region. Department of Agriculture Bulletin 1264.

1927. Factors controlling germination and early survival in oaks. Yale School of Forestry Bull. 19.

1930. Acorn storage in the southern states. Jour. Forestry 28: 858-863.

7. Reforestation

KORSTIAN, C. F. and MACKINNEY, A. L.

1931. Planting versus direct seeding of yellow poplar in the southern Appalachian region. Jour. Forestry 29: 1178-1181.

MACKINNEY, A. L.

1934. A suggestion for cleaning loblolly pine seed. Technical Note No. 6, October 1*.

-
1934. Storage of loblolly pine seed. Tech. Note No. 7, October 1*.

8. Forest Economics and Utilization

FORSLING, C. L.

1936. Problems in marketing the farm forest crop. Farmers' Federation News, October.

FROTHINGHAM, E. H.

1926. Woodlots in the Piedmont region a profit source. Department of Agriculture Yearbook.

-
1927. Forestry possibilities in southern Appalachian hardwoods. Proc. Ninth So. Forestry Congress, pp. 59-70.

-
1930. Value of the Federation's Forest Products department emphasized. Farmers' Federation News, January.

KORSTIAN, C. F.

1926. The economic development of the furniture industry in the south and its future dependence upon forestry. N. C. Dept. of Conservation and Development, Economic Paper 57.

MACKINNEY, A. L. and CHAIKEN, L. E.

1935. Heartwood in second growth loblolly pine. Technical Note No. 18, December 12*.

NELSON, RALPH M. and GRAVATT, G. F.

1929. The tannin content of dead chestnut trees. Jour. Amer. Leather Chem. Assoc. 24: 479-499.

9. Miscellaneous

ABELL, C. A.

1931. How to make photographs identify themselves. Forest Worker, November.

1934. Influence of glaze storms upon hardwood forests of the southern Appalachians. Jour. Forestry 32: 35-37.

HAASIS, F. W.

1922. Dust spiral near Flagstaff, Arizona. Mo. Wea. Rev. 50: 68-69.

1926. Exposure factors for forest photography. American Photography, August.

1926. The decreasing importance of forest grazing in the southern Appalachian region. Jour. Forestry 24: 533-34.

JACOT, ARTHUR PAUL

1934. Micro mounts, reverse and converse. Science 80: 122.

KORSTIAN, C. F.

1922. Some forestry students assist App. For. Exp. Sta. in spruce regeneration survey. Service Bull., August 9.

1922. A new job for the jitney. Scientific American, August.

1923. An outline for the classification of forestry literature. Final report of the Forestry Classification Sub-committee, Society of American Foresters. Jour. Forestry 21: 148-161.

1926. Grazing in the National Forests. In The Naturalist's Guide to the Americas.

1927. Revived interest in international forestry bibliography. The Forest Worker, January.

LAXTON, JOSEPHINE

1931. Pioneers in forestry at Biltmore. American Forests 37: 3, May.

1931. Pisgah; a forest treasureland. American Forests 37: 6, June.

9. Miscellaneous

LAXTON, JOSEPHINE

1931. Pioneers in forestry. The Biltmore Forest School. American forests 37: 7, July.

1932. Lady Samaritan of the Christmas greens. American Forests 38: 12, December.

PIERCE, L. T.

1934. Temperature variations along a forested slope in the Bent Creek Experimental Forest. Mo. Wea. Rev. 62, January.

1934. Diurnal variation in the dew point temperature at Asheville, N. C. Mo. Wea. Rev. 62, August.

APPALACHIAN SECTION, SOCIETY OF AMERICAN FORESTERS

1926. A forest type classification for the southern Appalachian mountains and the adjacent plateau and coastal plain regions. By a committee of the Southern Appalachian Section, Society of American Foresters. E. H. Frothingham, chairman; J. S. Holmes, W. J. Dantoft, E. F. McCarthy, and C. F. Korstian. Reprinted Jour. of Forestry 24: 673-684.

1930. Cumulated index, Jan. 1917-Dec. 1929.

Proceedings, vol. 1-11

Forestry Quarterly, vol. 1-14

Journal of Forestry, vol. 15-27.

Compiled by a committee composed of C. F. Korstian, chairman, J. H. Buell, Verne Rhoades.

Technical Notes

- No. 1. Ten years growth after a partial cutting in a mixed hardwood stand. July 7, 1934. Buell, J. H.
2. Growth of Appalachian hardwood forests. July 20, 1934. Barrett, L. I.
3. Relation between height of decay and tree age in certain eastern oaks. August 1, 1934. Hepting, G. H. and Hedgcock, G. G.
4. Growth of Appalachian hardwood forests. September, 1934. Barrett, L. I.
5. Site index curves for yellow poplar and white pine. September, 12, 1934. Barrett, L. I.
6. A suggestion for cleaning loblolly pine seed. October 1, 1934. MacKinney, A. L.
7. Storage of loblolly pine seed. October 1, 1934. MacKinney, A. L.
8. A method for rating forest fire intensity. January, 1935. Nelson, Ralph M.
9. Effects of a light fire on loblolly pine reproduction. January 29, 1935. MacKinney, A. L.
10. Computations of National Forest timber survey data. Curve fitting and volume table checks and revisions. February, 1935. Barrett, L. I.
11. A method for estimating future volumes of partially cut stands in the southern Appalachians. July 18, 1935. Buell, J. H. and Abell, Margaret S.
12. Control of exposed soil on road banks. March 7, 1935. Hursh, C. R.
13. Relation between tree diameter and percentage of cull in some eastern hardwoods. June 3, 1935. Hepting, G. H. and Hedgcock, G. G.
14. Relation between butt rot and fire in some eastern hardwoods. June 3, 1935. Hepting, G. H. and Hedgcock, G. G.
15. A method of determining density of loblolly pine stands. October 28, 1935. MacKinney, A. L. and Chaiken, L. E.

Technical Notes

- No. 16. Relation of cull percent to tree diameter and to percentage of trees with basal wounds in some eastern hardwoods. November 4, 1935. Hepting, G. H. and Hedgcock, G. G.
17. Plant indicators of soil conditions of recently abandoned fields. November 6, 1935. Hursh, C. R. and Crafton, W. M.
18. Heartwood in second growth loblolly pine. December 12, 1935. MacKinney, A. L. and Chaiken, L. E.
19. Recent volume tables for some southern Appalachian species. February 10, 1936. Barrett, L. I.
20. Converting factors for loblolly pine pulpwood. February 25, 1936. MacKinney, A. L. and Chaiken, L. E.
21. Recent volume tables for second-growth loblolly pine in the Middle Atlantic Coastal Region. May 19, 1936. MacKinney, A. L. and Chaiken, L. E.
22. Recent site index curves for second-growth loblolly pine. October 29, 1936. MacKinney, A. L.

U. S. DEPARTMENT OF AGRICULTURE

Forest Service.

Weather Stations

Appalachian Forest Experiment Station

FOREST SERVICE
CROOKY MOUNTAIN FOREST & INURE EXP. ST.
FORT COLLINS, COLORADOJUL 2 - 1937
June 25, 1937
Asheville, N. C.

RECEIVED

Technical Note 25

RELATION OF BYRAM HAZE METER READING TO SAFE VISIBILITY DISTANCE OF A SMALL SMOKE

(All distances in miles and tenths)

METER READING	SAFE VISIBILITY DISTANCE	METER READING	SAFE VISIBILITY DISTANCE	METER READING	SAFE VISIBILITY DISTANCE	METER READING	SAFE VISIBILITY DISTANCE	METER READING	SAFE VISIBILITY DISTANCE
A	B	A	B	A	B	A	B	A	B
1.0	1.8	4.0	5.3	7.0	8.0	10.0	10.2	13.0	12.2
1.1	2.0	4.1	5.4	7.1	8.1	10.1	10.3	13.1	12.2
1.2	2.1	4.2	5.5	7.2	8.2	10.2	10.4	13.2	12.3
1.3	2.2	4.3	5.6	7.3	8.2	10.3	10.4	13.3	12.4
1.4	2.4	4.4	5.7	7.4	8.3	10.4	10.5	13.4	12.4
1.5	2.5	4.5	5.8	7.5	8.4	10.5	10.6	13.5	12.5
1.6	2.6	4.6	5.9	7.6	8.5	10.6	10.6	13.6	12.6
1.7	2.8	4.7	6.0	7.7	8.5	10.7	10.7	13.7	12.6
1.8	2.9	4.8	6.1	7.8	8.6	10.8	10.8	13.8	12.7
1.9	3.0	4.9	6.2	7.9	8.7	10.9	10.8	13.9	12.7
2.0	3.1	5.0	6.3	8.0	8.8	11.0	10.9	14.0	12.8
2.1	3.3	5.1	6.4	8.1	8.9	11.1	11.0	14.1	12.9
2.2	3.4	5.2	6.5	8.2	8.9	11.2	11.0	14.2	12.9
2.3	3.5	5.3	6.6	8.3	9.0	11.3	11.1	14.3	13.0
2.4	3.6	5.4	6.7	8.4	9.1	11.4	11.2	14.4	13.0
2.5	3.7	5.5	6.7	8.5	9.2	11.5	11.2	14.5	13.1
2.6	3.9	5.6	6.8	8.6	9.2	11.6	11.3	14.6	13.2
2.7	4.0	5.7	6.9	8.7	9.3	11.7	11.4	14.7	13.2
2.8	4.1	5.8	7.0	8.8	9.4	11.8	11.4	14.8	13.3
2.9	4.2	5.9	7.1	8.9	9.4	11.9	11.5	14.9	13.4
3.0	4.3	6.0	7.2	9.0	9.5	12.0	11.6	15.0	13.4
3.1	4.4	6.1	7.3	9.1	9.6	12.1	11.6		
3.2	4.5	6.2	7.4	9.2	9.7	12.2	11.7		
3.3	4.6	6.3	7.4	9.3	9.7	12.3	11.8		
3.4	4.7	6.4	7.5	9.4	9.8	12.4	11.8		
3.5	4.8	6.5	7.6	9.5	9.9	12.5	11.9		
3.6	4.9	6.6	7.7	9.6	9.9	12.6	12.0		
3.7	5.0	6.7	7.8	9.7	10.0	12.7	12.0		
3.8	5.1	6.8	7.9	9.8	10.1	12.8	12.1		
3.9	5.2	6.9	7.9	9.9	10.1	12.9	12.1		

For general administrative purposes, readings given by the Byram haze meter should be slightly corrected before being regarded as the safe visibility distances of small smokes. The relation between the visual range of a small smoke (approximately equivalent to a 12x12 foot fire in hardwood leaves) and the corresponding haze meter readings is given in the above table. Haze meter readings from 1 to 15 miles are given in column A and the corresponding safe visibility distances of a small smoke in column B. It will be noticed that for meter readings from 8 to 13 miles, the correction factor is small and in regions where the visibility distance is usually between these limits, the correction factor may be ignored. However, where meter readings are often less than 8 miles or more than 13 miles, or where the maximum efficiency of the meter is desired, the corrected values should be used.

George M. Byram,
Junior Meteorologist


U. S. DEPARTMENT OF AGRICULTURE

Forest Service.

Hager Stations

Appalachian Forest Experiment Station

Technical Note 25



RELATION OF BYRAM HAZE METER READING TO SAFE VISIBILITY DISTANCE OF A SMALL SMOKE

(All distances in miles and tenths)

METER READING	SAFE VISIBILITY DISTANCE	METER READING	SAFE VISIBILITY DISTANCE	METER READING	SAFE VISIBILITY DISTANCE	METER READING	SAFE VISIBILITY DISTANCE	METER READING	SAFE VISIBILITY DISTANCE
A	B	A	B	A	B	A	B	A	B
1.0	1.8	4.0	5.3	7.0	8.0	10.0	10.2	13.0	12.2
1.1	2.0	4.1	5.4	7.1	8.1	10.1	10.3	13.1	12.2
1.2	2.1	4.2	5.5	7.2	8.2	10.2	10.4	13.2	12.3
1.3	2.2	4.3	5.6	7.3	8.2	10.3	10.4	13.3	12.4
1.4	2.4	4.4	5.7	7.4	8.3	10.4	10.5	13.4	12.4
1.5	2.5	4.5	5.8	7.5	8.4	10.5	10.6	13.5	12.5
1.6	2.6	4.6	5.9	7.6	8.5	10.6	10.6	13.6	12.6
1.7	2.8	4.7	6.0	7.7	8.5	10.7	10.7	13.7	12.6
1.8	2.9	4.8	6.1	7.8	8.6	10.8	10.8	13.8	12.7
1.9	3.0	4.9	6.2	7.9	8.7	10.9	10.8	13.9	12.7
2.0	3.1	5.0	6.3	8.0	8.8	11.0	10.9	14.0	12.8
2.1	3.3	5.1	6.4	8.1	8.9	11.1	11.0	14.1	12.9
2.2	3.4	5.2	6.5	8.2	8.9	11.2	11.0	14.2	12.9
2.3	3.5	5.3	6.6	8.3	9.0	11.3	11.1	14.3	13.0
2.4	3.6	5.4	6.7	8.4	9.1	11.4	11.2	14.4	13.0
2.5	3.7	5.5	6.7	8.5	9.2	11.5	11.2	14.5	13.1
2.6	3.9	5.6	6.8	8.6	9.2	11.6	11.3	14.6	13.2
2.7	4.0	5.7	6.9	8.7	9.3	11.7	11.4	14.7	13.2
2.8	4.1	5.8	7.0	8.8	9.4	11.8	11.4	14.8	13.3
2.9	4.2	5.9	7.1	8.9	9.4	11.9	11.5	14.9	13.4
3.0	4.3	6.0	7.2	9.0	9.5	12.0	11.6	15.0	13.4
3.1	4.4	6.1	7.3	9.1	9.6	12.1	11.6		
3.2	4.5	6.2	7.4	9.2	9.7	12.2	11.7		
3.3	4.6	6.3	7.4	9.3	9.7	12.3	11.8		
3.4	4.7	6.4	7.5	9.4	9.8	12.4	11.8		
3.5	4.8	6.5	7.6	9.5	9.9	12.5	11.9		
3.6	4.9	6.6	7.7	9.6	9.9	12.6	12.0		
3.7	5.0	6.7	7.8	9.7	10.0	12.7	12.0		
3.8	5.1	6.8	7.9	9.8	10.1	12.8	12.1		
3.9	5.2	6.9	7.9	9.9	10.1	12.9	12.1		

For general administrative purposes, readings given by the Byram haze meter should be slightly corrected before being regarded as the safe visibility distances of small smokes. The relation between the visual range of a small smoke (approximately equivalent to a 12x12 foot fire in hardwood leaves) and the corresponding haze meter readings is given in the above table. Haze meter readings from 1 to 15 miles are given in column A and the corresponding safe visibility distances of a small smoke in column B. It will be noticed that for meter readings from 8 to 13 miles, the correction factor is small and in regions where the visibility distance is usually between these limits, the correction factor may be ignored. However, where meter readings are often less than 8 miles or more than 13 miles, or where the maximum efficiency of the meter is desired, the corrected values should be used.

George M. Byram,
Junior Meteorologist